
- 1 A camera at ground level is 400 metres away from a hot air balloon just prior to the balloon lifting off. The balloon lifts off and the camera records the balloon rising into the sky at a constant rate of 10 metres per second.
 - (a) If θ is the angle of elevation of the balloon, express the height h of the balloon in terms of this angle.
 - (b) How fast is the angle of elevation θ radians changing when the balloon is 300 m above the ground?


3 The gradient of the tangent to a curve at any point (x, y) is $\frac{x}{x+1}$, x > -1. If the curve passes through the point (1, 1), find the equation of the curve.


- 7 A species of tuna is declining so that T, the number of tuna at a time t years from now, satisfies the differential equation $\frac{dT}{dt} = -0.1T$.
 - (a) Write the general solution to this differential equation, where T(0) = A > 0 is the initial population.
 - (b) Find the time it will take for the numbers to fall to one-quarter of their present value.

8 Consider the initial value problem $\frac{dy}{dx} = 2x(1+y^2)$, y(0) = 1. Find the exact solution to the differential equation.

13 What is the slope field of $y' = \frac{x^2}{y^2}$?







- 16 Consider the differential equation $\frac{dy}{dx} = x 2y$, for which the solution is g(x). Which of the following statements about the particular solution that contains the point (0, -1) is true at x = 0?
 - A the graph is increasing and concave up
- B the graph is increasing and concave down
- C the graph is decreasing and concave up
- D the graph is decreasing and concave down

Consider the differential equation $\frac{dy}{dx} = y \sin x$, for which the solution is y = f(x). Let f(0) = 1.

- 17 Which of the following statements about the graph of f(x) are true?
 - (i) The slope of f(x) at the point $(\frac{\pi}{2}, 1)$ is 1.
 - (ii) f(x) has a horizontal tangent where x = 0.
 - (iii) f(x) has a vertical tangent where y = 0.
 - A i only
- B ii only
- C i and ii only D ii and iii only

- 18 The particular solution is:
 - **A** $y = e^{1-\cos x}$ **B** $y = e^{\cos x 1}$ **C** $y = e^{-\sin x}$ **D** $y = e^{\sin x}$

- 19 When added to water, 5 grams of a substance dissolves at a rate equal to 10% of the amount of undissolved chemical per hour. If x is the number of grams of undissolved chemical after t hours, then x satisfies the differential equation:
- A $\frac{dx}{dt} = -\frac{1}{10}x$ B $\frac{dx}{dt} = -\frac{1}{5}x$ C $\frac{dx}{dt} = \frac{1}{5}(10-x)$ D $\frac{dx}{dt} = \frac{1}{10}(5-x)$

- 21 A quantity of sugar is dissolved in a tank containing 100 litres of pure water. At time t = 0 minutes, pure water is poured into the tank at a rate of 4 litres per minute. The tank is kept well stirred at all times. At the same time, the sugar solution is drained from a tap at the bottom of the tank at a rate of 6 litres per minute. A differential equation for the mass m grams of sugar in the tank is:

- $\mathsf{A} \quad \frac{dm}{dt} = -6m \qquad \qquad \mathsf{B} \quad \frac{dm}{dt} = 4 \frac{3m}{50} \qquad \mathsf{C} \quad \frac{dm}{dt} = -\frac{3m}{50 t} \qquad \qquad \mathsf{D} \quad \frac{dm}{dt} = 4 \frac{3m}{50 t}$

22 According to Fourier's law of heat conduction, the rate of heat transfer $\frac{dQ}{dt}$ through an ice sheet in Antarctica is given by the differential equation $\frac{dQ}{dt} = \frac{k(T_w - T_a)}{h}$, where k is the thermal conductivity of the ice, h is the thickness of the ice sheet and T_w and T_a are the temperatures at the ice/water boundary and the ice/air boundary respectively.

As the water loses Q joules of heat through the ice sheet, the rate of increase in ice thickness h is given by $\frac{dh}{dQ} = \frac{1}{L\rho}$, where L is the latent heat of sea water (in other words, the amount of heat loss required to freeze 1 kilogram of it) and ρ is the density of the ice.

- (a) Find the rate of increase of the ice sheet thickness $\frac{dh}{dt}$.
- **(b)** If $h(0) = h_0$, find h(t), assuming that $\frac{k(T_w T_a)}{L\rho}$ is a positive constant.

- 28 Bob's credit card bill B is initially \$15000 and he pays 18% interest on this debt per year, compounded continuously. He decides to pay it off by transferring money from his savings account continuously at the rate of \$300 per month.
 - (a) Find and solve a differential equation to model the credit card balance B after t years.
 - (b) How much time will it take to pay off the credit card bill (to the nearest day)?
 - (c) What is the sum total of Bob's repayments?

Assume Bob has \$40 000 in a savings account that accumulates interest at an annual rate of 6%, also compounded continuously.

- (d) Find and solve a differential equation to model the balance S of Bob's savings account.
- (e) How much money will Bob have in his savings account when the debt is finally paid off (assuming no other transactions)?

- An abandoned open-cut mine just outside a large city has been purchased as a landfill for solid waste by a city council. When purchased, the open-cut mine had a volume of 1 million cubic metres. At the beginning of 2015, the landfill already had 100 000 cubic metres of solid waste. The volume of solid waste W in the landfill (measured in units of 100 000 cubic metres) t years after the beginning of 2015 is modelled by the solution of the differential equation $\frac{dW}{dt} = \frac{1}{10}(10 W)$, W(0) = 1.
 - (a) Find the volume of solid waste in the landfill t years after 2015.
 - (b) Hence determine the volume of solid waste in the landfill at the beginning of 2035. (Express your answer in cubic metres, correct to the nearest cubic metre.)

- 30 The population P(t) of penguins on an island in the Southern Ocean t years after the beginning of 2015 grows at a rate directly proportional to 1000 P(t), where the constant of proportionality is k.
 - (a) If the population at the beginning of 2015 is 200, express the penguin population *t* years after the beginning of 2015 in terms of *t* and *k*.
 - **(b)** If the population after 2 years is 300, find *k*.
 - (c) Hence determine the long-term population of penguins on the island.

- 31 While on an unauthorised trip to the local fast food restaurant during their study period, a pair of Year 12 students are convinced that they have just seen the Prime Minister buying a hamburger. On returning to the school, their amazing discovery spreads throughout the school community at the rate $\frac{dp}{dt} = \frac{1}{10}p(1-p)$, where p is the proportion of the school community that has already heard the rumour, t minutes after their return to school.
 - (a) What proportion of the school community has heard the rumour when it is spreading most rapidly? By the beginning of the afternoon period, 20% of the school community had already heard the rumour.
 - **(b)** Find p(t), at time t minutes since the beginning of the afternoon period, given $\frac{1}{p(1-p)} = \frac{1}{p} \frac{1}{p-1}$.
 - (c) At what time (correct to the nearest minute) is the rumour spreading most rapidly?