



TRANSFORMATIONS OF GRAPHS USING $y = f(x+b)$ AND $y = f(x)+c$

1 On the same diagram, draw the graphs of:

(a) $y = x^2$, $y = (x - 2)^2$, $y = x^2 - 2$




(b) $y = \sqrt{x}$, $y = \sqrt{x-4}$, $y = \sqrt{x} - 4$




TRANSFORMATIONS OF GRAPHS USING $y = f(x+b)$ AND $y = f(x)+c$

(c) $y = \frac{1}{x}$, $y = \frac{1}{x+3}$, $y = \frac{1}{x} + 3$




(d) $y = \cos x$, $y = \cos\left(x + \frac{\pi}{6}\right)$, $y = \cos\left(x - \frac{\pi}{3}\right)$ for $0 \leq x \leq 2\pi$.




TRANSFORMATIONS OF GRAPHS USING $y = f(x+b)$ AND $y = f(x)+c$

(a) $y = e^x, y = e^{x+2}, y = e^x + 2$




(b) $y = \ln x, y = \ln(x - e), y = \ln x - e$




TRANSFORMATIONS OF GRAPHS USING $y = f(x+b)$ AND $y = f(x)+c$

(c) $y = e^{-x}$, $y = e^{-x-1}$, $y = e^{-x} - 1$



3 On the same diagram, draw the following graphs for $0 \leq x \leq 2\pi$:

(b) $y = \tan x$, $y = \tan \left(x + \frac{\pi}{4}\right)$, $y = \tan \left(x - \frac{\pi}{4}\right)$



(c) $y = \operatorname{cosec} x$, $y = \operatorname{cosec} \left(x + \frac{\pi}{4}\right)$, $y = \operatorname{cosec} \left(x - \frac{\pi}{2}\right)$

